





PRODUCT DATA SHEET

SikaCeram®-62

FLOWFIX BONDING PRIMER

PRODUCT DESCRIPTION

SikaCeram®-62 FlowFix Bonding Primer is a ready to use (just add water) flexible, polymer modified, cementitious bonding primer. Designed to deliver exceptional bonding of porcelain paving onto wet bedding mortar.

USES

Use on the underside of porcelain paving to give a high strength bond between the paving and bedding mortar

CHARACTERISTICS / ADVANTAGES

- Easy and fast to mix
- High strength
- Fast curing
- For exterior use only
- Applied by brush or roller

PRODUCT INFORMATION

Chemical Base	Cement based
Packaging	20 kg bags
Appearance / Colour	Light Grey
Shelf Life	6 months from the date of manufacture
Storage Conditions	Keep in closed container, protect from frost, and store between +5 $^{\circ}\text{C}$ and 20 $^{\circ}\text{C}$.
Density	2 g/cm³ (wet)

APPLICATION INFORMATION

Mixing Ratio	Mix 20 kg of SikaCeram®-62 FlowFix Bonding Primer with 4.4 L of water
Consumption	20 kg of SikaCeram®-62 FlowFix Bonding Primer will cover up to 15 m² depending on the texture and porosity of the surface to be treated.
Layer Thickness	1-2 mm
Pot Life	20 minutes
Curing Time	Full cure: Approx. 72 hours

Product Data Sheet

SikaCeram®-62June 2020, Version 01.01
021790400000000023

APPLICATION INSTRUCTIONS

SUBSTRATE QUALITY / PRE-TREATMENT

- Ensure tiles are sound, clean and dust free
- Ensure there is no organic growth present prior to applying SikaCeram®-62 FlowFix Bonding Primer

MIXING

- Mix SikaCeram®-62 FlowFix Bonding Primer (20 kg) with 4.4 L of clean water
- Always add powder to water
- Using a drill and spiral action mixer, mix the product with water for approx. 3 minutes
- Do not create excess air bubbles during mixing
- Do not mix more product than can be used within 25 minutes

APPLICATION

- Apply the freshly mixed SikaCeram®-62 FlowFix Bonding Primer at a thickness of 1-2 mm to the underside of the tile
- Use a brush or roller to apply the product
- After applying the product to the underside, place the tile onto pre-prepared wet bedding mortar within 25 minutes (@ 20 °C) of application
- SikaCeram®-62 FlowFix Bonding Primer must not be allowed to dry
- Ensure the tile is level and has the required jointing

VALUE BASE

All technical data stated in this Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

LOCAL RESTRICTIONS

Note that as a result of specific local regulations the declared data and recommended uses for this product may vary from country to country. Consult the local Product Data Sheet for the exact product data and uses.

ECOLOGY, HEALTH AND SAFETY

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety-related data.

LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

EVERBUILD BUILDING PRODUCTS LTD

Site 41, Knowsthorpe Way Cross Green Industrial Estate Leeds, LS9 0SW Tel: 0113 240 3456 Web: www.everbuild.co.uk Twitter: @everbuild

SIKA LIMITED

Watchmead Welwyn Garden City Hertfordshire, AL7 1BQ Tel: 01707 394444 Web: www.sika.co.uk Twitter: @SikaLimited

SIKA IRELAND LIMITED

Ballymun Industrial Estate Ballymun Dublin 11. Ireland Tel: +353 1 862 0709 Web: www.sika.ie Twitter: @SikaIreland

SikaCeram-62-en-GBEVER-(06-2020)-1-1.pdf





SikaCeram®-62