

Sealants and Tools Direct Product PDF

Bond It Premium PVA Bond 1 Litre

Sealer, Adhesive & Additive

Product Code: BDA022

Product Overview

The **Bond It Premium PVA Bond** is a high-performance sealer, adhesive, and additive designed for a variety of construction and DIY applications. Suitable for professional contractors and DIY enthusiasts alike, this product ensures exceptional bonding strength, sealing capabilities, and versatility for multiple uses.

Key Features and Benefits

- **Superior Adhesion:** Provides excellent bond strength for most building surfaces, including wood, plaster, and concrete.
 - **Versatility:** Can be used as a primer, sealer, bonding agent, or cement additive.
 - **Enhanced Durability:** Improves the strength and flexibility of mortars and renders.
 - **Quick Drying:** Reduces project completion time with fast-drying properties.
 - **Water-Resistant Finish:** Offers increased protection against water penetration when used as a sealer.
-

Technical Specifications

- **Product Type:** PVA Bond
 - **Volume:** 1 Litre
 - **Colour:** White (dries clear when used as an adhesive or additive)
 - **Application Temperature:** Minimum 5°C
 - **Coverage:** Approximately 6-8m² per litre (depending on substrate porosity)
 - **Shelf Life:** 12 months (if stored in original unopened container)
-

Applications

1. **Priming:** Prepares surfaces for painting or rendering by sealing porous substrates.
 2. **Sealing:** Acts as a dust-proof sealer for concrete floors and walls.
 3. **Adhesion:** Improves the bond between surfaces for tiling, plastering, and wallpapering.
 4. **Cement Additive:** Enhances workability, strength, and adhesion of cement-based products.
-

How to Use

Priming and Sealing

1. Dilute with water in a 1:4 ratio (1 part PVA to 4 parts water).
2. Apply a thin, even coat with a brush or roller.
3. Allow to dry before proceeding with further treatments.

Adhesive

1. Use undiluted for bonding wood, tiles, or paper.
2. Apply directly to the surface, press firmly, and leave to set.

Cement Additive

1. Mix 1 part PVA with 10 parts water.
 2. Add the mixture to the cement or mortar for enhanced performance.
-

Safety Precautions

- Wear protective gloves and goggles during application.
 - Avoid contact with skin and eyes.
 - In case of contact, rinse immediately with plenty of water.
 - Keep out of reach of children.
 - Store in a cool, dry place away from direct sunlight.
-

FAQs

Q: Can this product be used outdoors?

A: Yes, when applied correctly and allowed to cure, the product offers good durability for outdoor projects.

Q: Is the product safe for children's areas?

A: Once cured, the product is non-toxic and safe. Always follow safety instructions during application.

Why Choose Bond It Premium PVA Bond?

With its multipurpose design and reliable performance, the Bond It Premium PVA Bond simplifies your projects and delivers professional results every time. Backed by Bond It's trusted reputation for quality, this product is an essential addition to your toolkit.

For more information or to purchase, visit

[Sealants and Tools Direct.](#)