

# **EVERBUILD BATH & KITCHEN SEALANT**

### DECLARATION OF PERFORMANCE

## No. 26503786

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	BATH / EASIBATH
2	INTENDED USE/S	Sealants for non-structural use in joints in buildings and pedestrian walkways - Part 3: Sealants for sanitary joints
3	MANUFACTURER:	Everbuild Building Products Ltd Site 41, Knowsthorpe Way, Cross Green Industrial Estate Leeds LS9 0SW
4	AUTHORISED REPRESENTATIVE:	N/A
5	SYSTEM/S OF AVCP:	3
6a	HARMONISED STANDARD:	EN15651-3:2012
	Notified body/ies:	0074

#### 7 **DECLARED PERFORMANCE/S**

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Reaction to fire	Class E		
Loss of volume	≤ 55 %		
Resistance to flow	≤5 mm		
Tensile properties: Elongation at break at 23 °C	≥ 25 %		EN15651-
Microbiological growth	1		3:2012
Durability	Pass		

#### 8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR -SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Paul Thomas

Function: Technical Product

Coordinator

At Leeds on 14 October 2020

Name: Emma Taylor

Function: Product Manager At Leeds on 14 October 2020

End of information as required by Regulation (EU) No 305/2011

Template for translation. Only for

internal use





DoP No. 26503786  EN15651-3:2012  Notified Body 0074  ants for non-structural use in joints in buildings and pedestrian walkways - Part 3: Sealants for sanitary j  Reaction to fire  Loss of volume  Solve the properties: Elongation at break at 23 °C  Microbiological growth  Durability  Durability  Pass	Everbuild Bui	lding Products Ltd, Leeds, UK
Notified Body 0074  ants for non-structural use in joints in buildings and pedestrian walkways - Part 3: Sealants for sanitary j  Reaction to fire  Loss of volume  ≤ 55 %  Resistance to flow  Tensile properties: Elongation at break at 23 °C  Microbiological growth  1	Do	oP No. 26503786
Reaction to fire  Loss of volume  Resistance to flow  Tensile properties: Elongation at break at 23 °C  Microbiological growth  Class E  ≤ 55 %  ≥ 25 %  Resistance to flow  1		EN15651-3:2012
Reaction to fire  Loss of volume  ≤ 55 %  Resistance to flow  ✓ 5 mm  Tensile properties: Elongation at break at 23 °C  Microbiological growth  Class E  ≤ 55 %  ≥ 25 %  1	No	otified Body 0074
Loss of volume ≤ 55 %   Resistance to flow ≤5 mm   Tensile properties: ≥ 25 %   Elongation at break at 23 °C 1	ants for non-structural use in joints in buildir	ngs and pedestrian walkways - Part 3: Sealants for sanitary j
Loss of volume ≤ 55 %  Resistance to flow ≤5 mm  Tensile properties: Elongation at break at 23 °C  Microbiological growth 1		
Resistance to flow ≤5 mm   Tensile properties: Elongation at break at 23 °C ≥ 25 %   Microbiological growth 1	Reaction to fire	Class E
Tensile properties:  Elongation at break at 23 °C  Microbiological growth  1	Loss of volume	≤ 55 %
Elongation at break at 23 °C  Microbiological growth  1	Resistance to flow	≤5 mm
		≥ 25 %
Durability Pass	Microbiological growth	1
	Durability	Pass

http://www.everbuild.co.uk/downloads/

### **ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)**

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

### **LEGAL NOTE**

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

**Declaration of Performance** BATH / EASIBATH 26503786 10/2020, ver. 02 1213

Template for translation. Only for internal use



