

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

Version 1.0

### **1.1 Product identifier**

Trade name : Everbuild Turpentine Substitute **1.2 Relevant identified uses of the substance or mixture and uses advised against** 

#### 1.3 Details of the supplier of the safety data sheet

Company	:	Everbuild – A Sika Company Site 41 Knowsthorpe Way Cross Green Industrial Estate Leeds West Yorkshire LS9 0SW United Kingdom
Telephone	:	0113 240 3456
E-mail address	:	everbuild.sds@uk.sika.com

## 1.4 Emergency telephone number

Emergency telephone num-	:	0044 113 240 3456 (office hours only)
ber		

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Type of product : Mixture

### Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Specific target organ toxicity - single ex- posure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.
Specific target organ toxicity - repeated exposure, Category 1, Central nervous system	H372: Causes damage to organs through pro- longed or repeated exposure if inhaled.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters air- ways.
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.

## 2.2 Label elements

Revision Date 11.09.2018

Version 1.0



# Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H226 H304	Flammable liquid and vapour. May be fatal if swallowed and enters air- ways.
		H336 H372	May cause drowsiness or dizziness. Causes damage to organs (Central nervous system) through prolonged or repeated ex- posure if inhaled.
		H411	Toxic to aquatic life with long lasting effects.
Supplemental Hazard Statements	:	EUH066	Repeated exposure may cause skin dry- ness or cracking.
Precautionary statements	:	P101	If medical advice is needed, have product container or label at hand.
		P102 <b>Prevention:</b>	Keep out of reach of children.
		P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P260	Do not breathe dust/ fume/ gas/ mist/ va- pours/ spray.
		P271	Use only outdoors or in a well-ventilated area.
		Response:	
		P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
		P331	Do NOT induce vomiting.
		P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
		Storage: P405 Disposal:	Store locked up.
		P501	Dispose of contents/container in accord- ance with local regulation.

Hazardous components which must be listed on the label:

• 919-446-0 Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



## **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

#### Hazardous components

Chemical name CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) 919-446-0 265-185-4 01-2119458049-33-XXXX [corresponding group CAS 64742-82-1]	Flam. Liq.3; H226 STOT SE3; H336 STOT RE1; H372 Asp. Tox.1; H304 Aquatic Chronic2; H411	>= 60 - < 80

Version 1.0

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	<ul> <li>Take off contaminated clothing and shoes immediately.</li> <li>Wash off with soap and plenty of water.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of eye contact	<ul> <li>Remove contact lenses.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>
If swallowed	<ul> <li>Do not induce vomiting without medical advice.</li> <li>Rinse mouth with water.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> </ul>
4.2 Most important symptom	s and effects, both acute and delayed
Symptoms	<ul> <li>Aspiration may cause pulmonary oedema and pneumonitis. Erythema Loss of balance Vertigo See Section 11 for more detailed information on health effects and symptoms.</li> </ul>



Revision Date 11.09.2018	Version 1.0	Print Date 11.09.201
Risks	Risk of serious damage to the lungs (by aspiratio	n).
	May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. Causes damage to organs through prolonged or exposure if inhaled. Repeated exposure may cause skin dryness or c	•
4.3 Indication of any immediate med	dical attention and special treatment needed	
Treatment :	Treat symptomatically.	
SECTION 5: Firefighting measure	es	
5.1 Extinguishing media		
Suitable extinguishing media :	Alcohol-resistant foam, Carbon dioxide (CO2), D	ry chemical
Unsuitable extinguishing : media	Water	
5.2 Special hazards arising from the	e substance or mixture	
Specific hazards during fire- : fighting	Do not allow run-off from fire fighting to enter dra courses.	ins or water
Hazardous combustion prod- : ucts	No hazardous combustion products are known	
5.3 Advice for firefighters		
Special protective equipment : for firefighters	In the event of fire, wear self-contained breathing	) apparatus.
Further information :	Use water spray to cool unopened containers. Co inated fire extinguishing water separately. This m discharged into drains. Fire residues and contam extinguishing water must be disposed of in accor local regulations.	nust not be ninated fire

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment. Remove all sources of ignition. Deny access to unprotected persons.
	Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.



### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.

Version 1.0

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up

: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

: Consult most current local Product Data Sheet prior to any

### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

7.1 Precautions for safe handling	
Advice on safe handling :	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drink- ing should be prohibited in the application area. Take precau- tionary measures against static discharge. Open drum careful ly as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Follow standard hygiene measures when handling chemical products
Advice on protection against : fire and explosion	Use explosion-proof equipment. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Take pre- cautionary measures against electrostatic discharges.
Hygiene measures :	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday
7.2 Conditions for safe storage, inc	luding any incompatibilities
Requirements for storage : areas and containers	Store in original container. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leak- age. Observe label precautions. Store in accordance with local regulations.
Other data :	No decomposition if stored and applied as directed.
7.3 Specific end use(s)	

use.

Specific use(s)



## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

#### Personal protective equipment

· ·····	-		
Eye protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water		
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.		
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (0,4 mm), Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.		
Skin and body protection	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.		
Respiratory protection	No special measures required.		
Environmental exposure controls			
General advice	Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.		

Version 1.0

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: colourless
Odour	: hydrocarbon-like

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Everbuild Turpentine Substitute

Revision Date 11.09.2018



Version 1.0



Odour Thres	shold	:	No data available
Flash point		:	ca. 40 °C
Autoignition	temperature	:	235 °C
Decompositi	on temperature	:	No data available
Lower explo	sion limit (Vol-%)	:	0,6 %(V)
Upper explo	sion limit (Vol-%)	:	6,5 %(V)
Flammability	1	:	No data available
Explosive pr	operties	:	No data available
Oxidizing pro	operties	:	No data available
pН		:	No data available
	t/range / Freez-	:	No data available
ing point Initial boiling range	point and boiling	:	ca. 158 °C at  316 hPa
Vapour pres	sure	:	3,9997 hPa
Density		:	ca.0,785 g/cm3 at 20 °C
Water solubi	lity	:	No data available
Partition coe		:	No data available
octanol/wate Viscosity, dy		:	No data available
Viscosity, kir	nematic	:	> 7 mm2/s at  40 °C
Relative vap	our density	:	No data available
Evaporation	rate	:	No data available
9.2 Other inform			

No data available

# **SECTION 10: Stability and reactivity**

## **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.



## 10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reaction	ons
Hazardous reactions :	Stable under recommended storage conditions.
	Vapours may form explosive mixture with air.
10.4 Conditions to avoid	
Conditions to avoid :	Heat, flames and sparks.
10.5 Incompatible materials	

Mat	erials	to avoid	:	No data available

### 10.6 Hazardous decomposition products

## **SECTION 11:** Toxicological information

#### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

#### Components:

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%): Assessment: Repeated exposure may cause skin dryness or cracking.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

## Germ cell mutagenicity

Not classified based on available information.

## Carcinogenicity

Not classified based on available information.

## **Reproductive toxicity**

Not classified based on available information.

#### STOT - single exposure

May cause drowsiness or dizziness.

#### STOT - repeated exposure

Causes damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.



BUILDING TRUST Dika Print Date 11.09.2018

## Aspiration toxicity

May be fatal if swallowed and enters airways.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

# Product:

Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
------------	---

Version 1.0

### 12.6 Other adverse effects

#### Product:

Additional ecological infor-	: An environmental hazard cannot be excluded in the event of
mation	unprofessional handling or disposal.
	Toxic to aquatic life with long lasting effects.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.</li> <li>Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.</li> <li>Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.</li> <li>Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.</li> </ul>



Contaminated packaging

: 15 01 10\* packaging containing residues of or contaminated by dangerous substances

## **SECTION 14: Transport information**

ADR	4000
14.1 UN number	
14.2 UN proper shipping name 14.3 Transport hazard	: TURPENTINE SUBSTITUTE : 3
class(es)	. 3
14.4 Packing group	: 111
Classification Code	 : F1
Labels	: 3
Tunnel restriction code	: (D/E)
14.5 Environmental hazards	: yes
ΙΑΤΑ	
14.1 UN number	: 1300
14.2 UN proper shipping name	
14.3 Transport hazard	: 3
class(es)	
14.4 Packing group	: !!!
Labels	: 3
14.5 Environmental hazards	: yes
IMDG	
14.1 UN number	: 1300
14.2 UN proper shipping name	: TURPENTINE SUBSTITUTE
14.3 Class	: 3
14.4 Packing group	: 111
Labels	: 3
EmS Number 1	: F-E
EmS Number 2	: S-E
14.5 Marine pollutant	: yes
	naphtha (petroleum)

**14.6 Special precautions for user** No data available

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## **Prohibition/Restriction**

International Chemical Weapons Convention (CWC) : Not applicable

SAFETY DATA SHEET according to Regulation (EC) No. 1907/200 Everbuild Turpentine Substitute	06		BUILDING TRUST	<b>Jika</b> °
Revision Date 11.09.2018	Version 1.0		Print Date 1	1.09.2018
Schedules of Toxic Chemicals and P	recursors			
REACH - Candidate List of Substanc Concern for Authorisation (Article 59)		None of the compo (=> 0.1 %).	nents are listed	
REACH - List of substances subject t (Annex XIV)	o authorisation :	Not applicable		
REACH - Restrictions on the manufa- the market and use of certain danger preparations and articles (Annex XVI	ous substances,	Not applicable		
- re - re	substances contained i egistered by our upstrea egistered by us, and/or xcluded from the regula xempted from the regist	am suppliers, and/or ition, and/or		

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E2	ENVIRONMENTAL HAZARDS	Quantity 1 200 t	Quantity 2 500 t
P5c	FLAMMABLE LIQUIDS	5.000 t	50.000 t
VOC-CH (VOCV)	: 60 %		
VOC-EU (solvent)	: 60 %		

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ-	: Environmental Protection Act 1990 & Subsidiary Regulations
mental regulation/legislation	Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or	Control of Substances Hazardous to Health Regulations
mixture:	(COSHH)
	May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

### **SECTION 16: Other information**

Full text of H-Statements		
H226	Flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H336	May cause drowsiness or dizziness.	

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Everbuild Turpentine Substitute

Revision Date 11.09.2018

Version 1.0



H372	Causes damage to organs through prolonged or repeated exposure if
	inhaled.
H411	Toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Aquatic Chronic Asp. Tox. Flam. Liq. STOT RE STOT SE ADR	Long-term (chronic) aquatic hazard Aspiration hazard Flammable liquids Specific target organ toxicity - repeated exposure Specific target organ toxicity - single exposure European Agreement concerning the International Carriage of Danger-
	ous Goods by Road
CAS	Chemical Abstracts Service
DNEL EC50	Derived no-effect level Half maximal effective concentration
GHS	Globally Harmonized System
IATA	International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	Occupational Exposure Limit
PBT	Persistent, bioaccumulative and toxic
PNEC	Predicted no effect concentration
REACH	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency
SVHC	Substances of Very High Concern
vPvB	Very persistent and very bioaccumulative

#### **Classification of the mixture:**

#### Classification procedure:

Flam. Liq. 3	H226	Based on product data or assessment
STOT SE 3	H336	Calculation method
STOT RE 1	H372	Calculation method
Asp. Tox. 1	H304	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !



Version 1.0