

# Febset 45

## DECLARATION OF PERFORMANCE

## No. 99155985

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	FBSET45
2	INTENDED USE/S	Concrete repair product for non- structural repair. CC Mortar (based on hydraulic cement) EN1504-3 Principle 3.1
3	MANUFACTURER:	Everbuild Building Products LTD Site 41, Knowsthorpe Way, Cross Green Industrial Estate, LS9 OSW, Leeds, UK
4	AUTHORISED REPRESENTATIVE:	N/A
5	SYSTEM/S OF AVCP:	2+
6a	HARMONISED STANDARD:	EN1504-3:2005
	Notified body/ies:	1029

### 7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Compressive Strength	Class R4	·	
Chloride ion content	<0.05 %		
Adhesive strength by pull off	≥1.5 MPa		
Thermal Compatibility: Part 4 dry cycling	≥0.8 MPa		
Skid resistance	Class III		EN1504-
Dangerous substances	Complies with 5.4	·	3:2005
Reaction to fire	Class A1		

## 8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION


The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Paul Thomas Function: Technical Product

Coordinator

Name: Mariam Maqsood Function: Product Manager At place on 15 December 2020







Everbuild Building P	roducts LTD, Leeds, UK
DoP No.	99155985
EN150	4-3:2005
Notified	Body 1029
Concrete repair product for non- structural repair. CC N	Nortar (based on hydraulic cement) EN1504-3 Principle 3
Compressive Strength	Class R4
Chloride ion content	<0.05 %
Adhesive strength by pull off	≥1.5 MPa
Thermal Compatibility: Part 4 dry cycling	≥0.8 MPa
Skid resistance	Class III
Dangerous substances	Complies with 5.4
Reaction to fire	Class A1

### www.everbuild.co.uk/downloads/

### **ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)**

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

#### **LEGAL NOTE**

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

**Declaration of Performance** FBSET45 99155985 2020/12, ver. 02 1213

Template for translation. Only for internal use



