

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Version 5.0

1.1 Product identifier					
Trade name 1.2 Relevant identified uses o	Everbuild One Strike Filler filler				
Product use	: Concrete protection and repair system				
1.3 Details of the supplier of the safety data sheet					
Company	: Everbuild – A Sika Company Site 41 Knowsthorpe Way Cross Green Industrial Estate Leeds West Yorkshire LS9 0SW United Kingdom				
Telephone	: 0113 240 3456				
E-mail address	: everbuild.sds@uk.sika.com				

1.4 Emergency telephone number

Emergency telephone num- : 0044 113 240 3456 (office hours only) ber

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling



Contains 1,2-benzisothiazol-3(2H)-one (BIT), mixture of: 5-chloro-2-methyl-4isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	>= 0,025 - < 0,05
mixture of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247- 500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239- 6] (3:1) (C(M)IT/MIT (3:1))	55965-84-9 911-418-6 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,0002 - < 0,0015

Version 5.0

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: No hazards which require special first aid measures.
If inhaled	: Move to fresh air.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	: Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	:	See Section 11 for more detailed information on health effects
		and symptoms.

SAFETY DATA SHEET					
according to Regulation (EC) No. 1907/2006					
Everbuild One Strike Filler					
Revision Date 19.05.2020					



Risks

Version 5.0 : No known significant effects or hazards.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	n the	e substance or mixture
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.
SECTION 6: Accidental releas	se r	neasures
6 1 Personal precautions protec	ctive	e equipment and emergency procedures
Personal precautions	:	For personal protection see section 8.
6.2 Environmental precautions		
Environmental precautions	:	No special environmental precautions required.
6.3 Methods and material for con	ntai	nment and cleaning up
Methods for cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.
6.4 Reference to other sections		
For personal protection see se	ectio	on 8.
SECTION 7: Handling and sto	oraç	ge
7.1 Precautions for safe handling	g	
Advice on safe handling	:	For personal protection see section 8. No special handling advice required

		Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.



Hygiene measures	:	When using do not eat or drink. When using do not smoke.			
7.2 Conditions for safe storage, including any incompatibilities					
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.			
Advice on common storage	:	No special restrictions on storage with other products.			
Further information on stor- age stability	:	No decomposition if stored and applied as directed.			
7.3 Specific end use(s)					
Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.			

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment			
Eye protection Hand protection	Safety glasses : Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.		
	Butyl rubber/nitrile rubber gloves (0,4 mm) Recommended: Butyl rubber/nitrile rubber gloves.		
Skin and body protection	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.		
Respiratory protection	: No special measures required.		
Environmental exposure cont	rols		
General advice	: No special environmental precautions required.		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: paste
Colour	: white
Odour	: slight
Odour Threshold	: No data available
pН	: 7,5 - 9,7

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Everbuild One Strike Filler

Revision Date 19.05.2020



Version 5.0



Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 100 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	23 hPa
Relative vapour density	:	No data available
Density	:	0,28 g/cm3 (20 °C)
Solubility(ies) Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Explosive properties	:	No data available
Oxidizing properties	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Country GB 10000005721

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Everbuild One Strike Filler



Revision Date 19.05.2020 Version 5.0 Print Date 19.0 Hazardous reactions : No hazards to be specially mentioned. 10.4 Conditions to avoid : No data available 10.5 Incompatible materials Materials to avoid : No data available 10.6 Hazardous decomposition products No data available : No data available 10.6 Hazardous decomposition products No decomposition if stored and applied as directed. : SECTION 11: Toxicological information 11.1 Information on toxicological effects : Section 10.00000000000000000000000000000000000	
10.4 Conditions to avoid	J5.202
Conditions to avoid : No data available 10.5 Incompatible materials Materials to avoid : No data available 10.6 Hazardous decomposition products No decomposition if stored and applied as directed. SECTION 11: Toxicological information	
10.5 Incompatible materials Materials to avoid : No data available 10.6 Hazardous decomposition products No decomposition if stored and applied as directed. SECTION 11: Toxicological information	
Materials to avoid : No data available 10.6 Hazardous decomposition products No decomposition if stored and applied as directed. SECTION 11: Toxicological information	
10.6 Hazardous decomposition products No decomposition if stored and applied as directed. SECTION 11: Toxicological information	
No decomposition if stored and applied as directed. SECTION 11: Toxicological information	
SECTION 11: Toxicological information	
11.1 Information on toxicological effects	
Acute toxicity	
Not classified based on available information.	
<u>Components:</u>	
1,2-benzisothiazol-3(2H)-one (BIT):	
Acute oral toxicity : LD50 Oral (Rat): 597 mg/kg	
Acute inhalation toxicity : LC50: 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403	
Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg	
mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)):	
Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.	
Skin corrosion/irritation	
Not classified based on available information.	
Serious eye damage/eye irritation Not classified based on available information.	
Respiratory or skin sensitisation	
Skin sensitisation	
Not classified based on available information.	
Respiratory sensitisation Not classified based on available information.	
Germ cell mutagenicity	
Not classified based on available information.	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Everbuild One Strike Filler

Revision Date 19.05.2020

Version 5.0

BUILDING TRUST

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Toxicity to daphnia and other	:	EC50 (Daphnia (water flea)): 3 mg/l
aquatic invertebrates		Exposure time: 48 h

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)):

M-Factor (Acute aquatic tox- : 100 icity)

M-Factor (Chronic aquatic : 100 toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

```
Assessment
```

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological infor- mation	:	There is no data available for this product.	
Country CD 10000005701			7/



SECTION 13: Disposal considerations

13.1 Waste treatment methods	
------------------------------	--

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe 		
	Way.		
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.		
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.		
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.		
European Waste Catalogue	: 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances		

Version 5.0

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legisla	ation	n specific for the substance or	mixture
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	:	Not applicable	

International Chemical Weapons Convention (CWC) : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Everbuild One Strike Filler

Revision Date 19.05.2020

Version 5.0

Print Date 19.05.2020

	Schedules of Toxic Chemicals a	nd Precursors		
	REACH - Candidate List of Subs	stances of Verv High	:	None of the components are listed
	Concern for Authorisation (Article	, ,		(=> 0.1 %).
	REACH - List of substances sub		:	Not applicable
	(Annex XIV)			
	Regulation (EC) No 1005/2009 c	on substances that de-	:	Not applicable
	plete the ozone layer			
	Regulation (EU) 2019/1021 on p	:	Not applicable	
	tants (recast)			
	Regulation (EC) No 649/2012 of	:	Not applicable	
	ment and the Council concerning			
	of dangerous chemicals			
REACH Information: All substances contained ir - registered by our upstrea				
				tream suppliers, and/or
		 registered by us, and/ 	/or	
		avoluded from the rea	<u>e lu r</u>	tion and/or

- excluded from the regulation, and/or
- exempted from the registration.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 2,95 %

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

specific for the substance or Control of mixture: (COSHH May be s	Id Safety at Work Act 1974 & Subsidiary Regulations f Substances Hazardous to Health Regulations) ubject to the Control of Major Accident Hazards ons (COMAH), and amendments.
---	---

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H301

Toxic if swallowed.

•

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Everbuild One Strike Filler

Revision Date 19.05.2020





 101011 Bate 10:00.2020		Time Date 10.0
H202	Hormful if availawed	
H302 : H310 :	Harmful if swallowed.	
	Fatal in contact with skin.	
H314 :	Causes severe skin burns and eye damage.	
H315 :	Causes skin irritation.	
H317 :	May cause an allergic skin reaction.	
H318 :	Causes serious eye damage.	
H330 :	Fatal if inhaled.	
H400 :	Very toxic to aquatic life.	
H410 :	Very toxic to aquatic life with long lasting effects.	
H411 :	Toxic to aquatic life with long lasting effects.	
Full text of other abbreviations		
Acute Tox.	Acute toxicity	
Aquatic Acute :	Short-term (acute) aquatic hazard	
Aquatic Chronic :	Long-term (chronic) aquatic hazard	
Eye Dam.	Serious eye damage	
Skin Corr. :	Skin corrosion	
Skin Irrit.	Skin irritation	
Skin Sens.	Skin sensitisation	
ADR :	European Agreement concerning the International	Carriage of
	Dangerous Goods by Road	ournage er
CAS :	Chemical Abstracts Service	
DNEL :	Derived no-effect level	
EC50	Half maximal effective concentration	
GHS	Globally Harmonized System	
IATA	International Air Transport Association	
IMDG	International Maritime Code for Dangerous Goods	
	Median lethal dosis (the amount of a material, give	n all at
LD50 :		
	once, which causes the death of 50% (one half) of test animals)	a group of
1.050		ab a mia al in
LC50 :	Median lethal concentration (concentrations of the	
	air that kills 50% of the test animals during the observed at	ervation
	period)	
MARPOL :	International Convention for the Prevention of Pollu	ition from
	Ships, 1973 as modified by the Protocol of 1978	
OEL :	Occupational Exposure Limit	
PBT :	Persistent, bioaccumulative and toxic	
PNEC :	Predicted no effect concentration	
REACH :	Regulation (EC) No 1907/2006 of the European Pa	
	and of the Council of 18 December 2006 concerning	ig the Reg-
	istration, Evaluation, Authorisation and Restriction	of Chemi-
	cals (REACH), establishing a European Chemicals	Agency
SVHC :	Substances of Very High Concern	
vPvB :	Very persistent and very bioaccumulative	

Version 5.0

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !



Version 5.0

GB / EN