

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name	:	Everbuild Showerproof Bathroom Silicone
1.2 Relevant identified uses of th	e s	ubstance or mixture and uses advised against

Product use : Sealant/adhesive

### 1.3 Details of the supplier of the safety data sheet

Company	:	Everbuild – A Sika Company Site 41 Knowsthorpe Way Cross Green Industrial Estate Leeds West Yorkshire LS9 0SW United Kingdom
Telephone	:	0113 240 3456
E-mail address	:	everbuild.sds@uk.sika.com

### 1.4 Emergency telephone number

Emergency telephone num-	:	0044 113 240 3456 (office hours only)
ber		

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

### **Additional Labelling**

EUH208 Contains 4,5-dichloro-2-octyl-2H-isothiazol-3-one (DCOIT). May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



# **SECTION 3: Composition/information on ingredients**

# 3.2 Mixtures

## Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Hydrocarbons, C14-C18, n- alkanes, isoalkanes, cyclics, <2% aromatics	Not Assigned 927-632-8 01-2119457736-27- XXXX [corresponding group CAS 64742-47- 8]	Asp. Tox. 1; H304	>= 20 - < 25
Hydrocarbons, C13-C23, n- alkanes, isoalkanes, cyclics, < 0.03% aromatics	Not Assigned 932-078-5 265-148-2 01-2119552497-29- XXXX	Asp. Tox. 1; H304	>= 10 - < 20
methylsilanetriyl triacetate	4253-34-3 224-221-9	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318	>= 1 - < 2,5
diacetoxydi-tert-butoxysilane	13170-23-5 236-112-3 01-2119987098-20- XXXX	Skin Corr. 1B; H314 Eye Dam. 1; H318	>= 1 - < 2,5
4,5-dichloro-2-octyl-2H-isothiazol- 3-one (DCOIT)	64359-81-5 264-843-8	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Corr. 1B; H314 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,0025 - < 0,025

Version 1.0

# **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice	: No hazards which require special first aid measures.
If inhaled	: Move to fresh air.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	: Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	: Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages.

Everbuild Showerproof Bathroom Silicone



Never give anything by mouth to an unconscious person. 4.2 Most important symptoms and effects, both acute and delayed Symptoms See Section 11 for more detailed information on health effects : and symptoms. Risks No known significant effects or hazards. t 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically. **SECTION 5: Firefighting measures** 5.1 Extinguishing media In case of fire, use water/water spray/water jet/carbon diox-Suitable extinguishing media : ide/sand/foam/alcohol resistant foam/chemical powder for extinction. 5.2 Special hazards arising from the substance or mixture Hazardous combustion prod- : No hazardous combustion products are known ucts 5.3 Advice for firefighters Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters Further information Standard procedure for chemical fires. **SECTION 6: Accidental release measures** 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions For personal protection see section 8. 6.2 Environmental precautions **Environmental precautions** : No special environmental precautions required.

Version 1.0

# 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece).
		Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

#### Version 1.0



### **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	When using do not eat or drink. When using do not smoke.

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	: Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.	
Advice on common storage	: No special restrictions on storage with other products.	
Further information on stor- age stability	: No decomposition if stored and applied as directed.	
7.3 Specific end use(s)		

Specific use(s) : Consult most current local Product Data Sheet prior to any use.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
acetic acid	64-19-7	TWA	10 ppm 25 mg/m3	2017/164/EU
Further information	Indicative		· -	
		STEL	20 ppm 50 mg/m3	2017/164/EU
Further information	Indicative			·
		STEL	20 ppm 50 mg/m3	GB EH40
		TWA	10 ppm 25 mg/m3	GB EH40

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : Safety glasses

according to Regulation (EC) No. 1907/2006

erbuild Showerproof Bath	room Silicone	BUILDING TRUST
vision Date 23.09.2019	Version 1.0	Print Date 24.09.2019
Hand protection	: Chemical-resistant, impervious gloves com proved standard must be worn at all times v chemical products. Reference number EN 3 facturer specifications.	when handling
	Butyl rubber/nitrile rubber gloves (0,4 mm) Recommended: Butyl rubber/nitrile rubber g	gloves.
Skin and body protection	<ul> <li>Protective clothing (e.g. Safety shoes acc. to long-sleeved working clothing, long trousers and protective boots are additionally recommendational stirring work.</li> </ul>	s). Rubber aprons
Respiratory protection	: No special measures required.	
Environmental exposure c	ontrols	
General advice	: No special environmental precautions requi	ired.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Appearance	:	paste
Colour	:	white
Odour	:	irritating
Odour Threshold	:	No data available
рН	:	No data available
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 61 °C Method: closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	0,01 hPa
Relative vapour density	:	No data available

BUILDING TRUST

Version 1.0

BUILDING TRUST

Density	:	ca. 0,95 g/cm3 (40 °C)
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	> 30 mm2/s (40 °C)
Explosive properties	:	No data available
Oxidizing properties	:	No data available

# 9.2 Other information

No data available

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

The product is chemically stable.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

### 10.4 Conditions to avoid

Conditions to avoid : No data available

# 10.5 Incompatible materials

Materials to avoid : No data available

## **10.6 Hazardous decomposition products**

Hazardous decomposition : acetic acid products



## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

## Acute toxicity

Not classified based on available information.

#### **Components:**

#### Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
	•	

Acute dermal toxicity : LD50 Dermal (Rabbit): 3.160 mg/kg

#### diacetoxydi-tert-butoxysilane:

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

#### 4,5-dichloro-2-octyl-2H-isothiazol-3-one (DCOIT):

Acute oral toxicity	:	LD50 Oral (Rat): 1.636 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,26 mg/l Exposure time: 4 h Test atmosphere: dust/mist

#### Skin corrosion/irritation

Not classified based on available information.

#### Product:

Method	:	Information given is based on data obtained from similar sub-
Result		stances. No skin irritation
Robuit	•	

#### Components:

#### Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics:

Assessment :	Repeate	d exposure	may cause	skin dryness	or cracking.
--------------	---------	------------	-----------	--------------	--------------

## Serious eye damage/eye irritation

Not classified based on available information.

### Product:

Method	:	Information given is based on data obtained from similar sub-
		stances.
Result	:	No eye irritation

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

Version 1.0

BUILDING TRUST

## **Respiratory sensitisation**

Not classified based on available information.

# Germ cell mutagenicity

Not classified based on available information.

## Carcinogenicity

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

Not classified based on available information.

## Aspiration toxicity

Not classified based on available information.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

## Components:

4,5-dichloro-2-octyl-2H-isothiazol-3-one (DCOIT):					
Toxicity to fish	:	LC50 (Fish): 0,0027 mg/l Exposure time: 96 h			
M-Factor (Acute aquatic tox- icity)	:	100			
M-Factor (Chronic aquatic toxicity)	:	10			
12.2 Persistence and degradability					
No data available					
12.3 Bioaccumulative potential					
No data available					
12.4 Mobility in soil					

No data available

### 12.5 Results of PBT and vPvB assessment

## Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Version 1.0

BUILDING TRUST

## 12.6 Other adverse effects

## Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized wherever possible.
Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

## 14.1 UN number

Not regulated as a dangerous good

# 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

### 14.4 Packing group

Not regulated as a dangerous good

## 14.5 Environmental hazards

Not regulated as a dangerous good

## 14.6 Special precautions for user

Not applicable

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors : Not applicable

	REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).			None of the components are listed (=> 0.1 %).	
	REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable	
	Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	:	Not applicable	
	Regulation (EC) No 850/2004 on lutants	persistent organic pol-	:	Not applicable	
	Regulation (EC) No 649/2012 of t ment and the Council concerning of dangerous chemicals	:	Not applicable		
	REACH - Restrictions on the man the market and use of certain dan preparations and articles (Annex 2	:	Banned and/or restricted		
	REACH Information:	All substances containe - registered by our upst - registered by us, and/ - excluded from the reg - exempted from the re	trea /or gula	m suppliers, and/or tion, and/or	
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable					
	Volatile organic compounds :	(VOCV)		or volatile organic compounds ls (VOC) content: < 0,01 %	
		emissions (integrated p	oollu	4 November 2010 on industrial ution prevention and control) Is (VOC) content: < 0,01 %	
	If other regulatory information app Sheet, then it is described in this		orov	ided elsewhere in the Safety Data	

Version 1.0

Health, safety and environ-	<ul> <li>Environmental Protection Act 1990 &amp; Subsidiary Regulations</li></ul>
mental regulation/legislation	Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or	Control of Substances Hazardous to Health Regulations
mixture:	(COSHH) <li>May be subject to the Control of Major Accident Hazards</li>
	Regulations (COMAH), and amendments.

# 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Version 1.0

BUILDING TRUST

## **SECTION 16: Other information**

Full text of H-Statements	
H302 H304 H314 H317 H318 H330 H400 H410	Harmful if swallowed. May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. Fatal if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
Full text of other abbreviation	S
Acute Tox. Aquatic Acute Aquatic Chronic Asp. Tox. Eye Dam. Skin Corr. Skin Sens. 2017/164/EU	Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Aspiration hazard Serious eye damage Skin corrosion Skin sensitisation Commission Directive (EU) 2017/164 establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Direc- tives 91/322/EEC, 2000/39/EC and 2009/161/EU
GB EH40 2017/164/EU / STEL 2017/164/EU / TWA GB EH40 / TWA GB EH40 / STEL ADR	UK. EH40 WEL - Workplace Exposure Limits Short term exposure limit Limit Value - eight hours Long-term exposure limit (8-hour TWA reference period) Short-term exposure limit (15-minute reference period) European Agreement concerning the International Carriage of
CAS DNEL EC50 GHS IATA IMDG LD50	Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of
LC50 :	test animals) Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL : PBT : PNEC : REACH :	Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC : vPvB :	Substances of Very High Concern Very persistent and very bioaccumulative



## **Further information**

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Version 1.0

Changes as compared to previous version !

GB / EN