

Revision Date 07.09.2019

Version 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Silicone 700T

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City
		Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

Centro Informativo Anti-venenos: 800 250 250

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Eye irritation, Category 2	H319: Causes serious eye irritation.				
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.				
Carcinogenicity, Category 2	H351: Suspected of causing cancer.				

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H317 H319 H351	May cause an allergic skin reaction. Causes serious eye irritation. Suspected of causing cancer.
Precautionary statements	:	P101	If medical advice is needed, have product container or label at hand.



Revision Date 07.09.2019		Version 3.0	Print Date 02.01.2020
	P102	Keep out of reach of children.	
	Prevention:		
	P201 P280	Obtain special instructions bef Wear protective gloves/ protec eye protection/ face protection	tive clothing/
	Storage:		
	P405	Store locked up.	
	Disposal:		
	P501	Dispose of contents/container with local regulation.	in accordance

Hazardous components which must be listed on the label:

- butan-2-one O,O',O"-(methylsilylidyne)trioxime
- 2-butanone oxime
- N-(3-(trimethoxysilyl)propyl)ethylenediamine
- butan-2-one O,O',O"-(vinylsilylidyne)trioxime

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		
Hydrocarbons, C14-C18, n- alkanes, isoalkanes, cyclics, <2%	Not Assigned 927-632-8	Asp. Tox. 1; H304	>= 10 - < 20
aromatics	01-2119457736-27-		
	XXXX [corresponding group CAS 64742-47-		
	8]		
butan-2-one O,O',O"-	22984-54-9	Eye Irrit. 2; H319	>= 2,5 - < 5
(methylsilylidyne)trioxime	245-366-4	Skin Sens. 1; H317	
		STOT RE 2; H373	
2-butanone oxime	96-29-7	Carc. 2; H351	>= 1 - < 2,5
	202-496-6	Acute Tox. 4; H312	
	01-2119539477-28-	Eye Dam. 1; H318	
	XXXX	Skin Sens. 1; H317	



Revision Date 07.09.2019	Version 3	Print Date 02.01.2	
N-(3- (trimethoxysi- lyl)propyl)ethylenediamine Contains: 1,2-Ethanediamine, N,N-bis[3- (trimethoxysilyl)propyl]- >= 5 - <= 10 % N,N'-bis[3- (trimethoxysi- lyl)propyl]ethylenediamine >= 5 - <= 10 %	1760-24-3 217-164-6 01-2119970215-39- XXXX	Acute Tox. 4; H332 Eye Dam. 1; H318 Skin Sens. 1; H317	< 1
butan-2-one O,O',O''- (vinylsilylidyne)trioxime	2224-33-1 218-747-8	Eye Dam. 1; H318 Skin Sens. 1B; H317 STOT RE 2; H373	< 1

SECTION 4: First aid measures

4.1 Description of first aid me	easures
General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms	s and effects, both acute and delayed
Symptoms	: Allergic reactions Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms.
Risks	: irritant effects sensitising effects
	May cause an allergic skin reaction. Causes serious eye irritation. Suspected of causing cancer.
Country 10000006112	3



Revision Date 07.09.2019		
10131011 Date 01.03.2013	Version 3.0	Print Date 02.01.2
4.3 Indication of any immediate r	nedical attention and special treatment neede	d
Treatment	: Treat symptomatically.	
SECTION 5: Firefighting meas	ures	
5.1 Extinguishing media		
• •	: Use extinguishing measures that are appropriate cumstances and the surrounding environmer	
5.2 Special hazards arising from	the substance or mixture	
Hazardous combustion prod- ucts	: No hazardous combustion products are know	vn
5.3 Advice for firefighters		
Special protective equipment for firefighters	: In the event of fire, wear self-contained breat	hing apparatus.
Further information	: Standard procedure for chemical fires.	
SECTION 6: Accidental releas	e measures	
	tive equipment and emergency procedures : Use personal protective equipment.	
6.1 Personal precautions, protec	tive equipment and emergency procedures	
5.1 Personal precautions, protec Personal precautions	tive equipment and emergency procedures : Use personal protective equipment.	
6.1 Personal precautions, protec	tive equipment and emergency procedures : Use personal protective equipment.	wer system. or drains inform
 5.1 Personal precautions, protections Personal precautions 5.2 Environmental precautions Environmental precautions 	 tive equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary se If the product contaminates rivers and lakes or respective authorities. 	wer system. or drains inform
 5.1 Personal precautions, protec Personal precautions 5.2 Environmental precautions 	 tive equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary se If the product contaminates rivers and lakes or respective authorities. 	or drains inform and, silica gel,
 5.1 Personal precautions, protections Personal precautions 5.2 Environmental precautions Environmental precautions 5.3 Methods and material for continuous 	 tive equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary se If the product contaminates rivers and lakes or respective authorities. tainment and cleaning up Soak up with inert absorbent material (e.g. sa acid binder, universal binder, sawdust). 	or drains inform and, silica gel,

SECTION 7: Handling and storage

7.1 Precautions for safe handling



Revision Date 07.09.2019		Version 3.0	Print Date 02.07
Advice on safe handling	:	Avoid exceeding the given occupational exposusection 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation prob ma, allergies, chronic or recurrent respiratory di not be employed in any process in which this m used. Smoking, eating and drinking should be prohibit plication area. Follow standard hygiene measures when handle products	olems or asth- isease should iixture is being ted in the ap-
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.	
Hygiene measures	:	Handle in accordance with good industrial hygic practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the e	using do not
7.2 Conditions for safe storage, i	nc	luding any incompatibilities	
Requirements for storage areas and containers	:	Store in original container. Keep container tight dry and well-ventilated place. Observe label pre Store in accordance with local regulations.	
Further information on stor- age stability	:	No decomposition if stored and applied as direc	oted.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Sheet	prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

use.

8.2 Exposure controls

Personal protective eq	Juipment
Eye protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (0,4 mm) Contaminated gloves should be removed.



Revision Date 07.09.2019	Version 3.0	Print Date 02.01.2
	Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to E long-sleeved working clothing, long trousers). and protective boots are additionaly recommen and stirring work.	Rubber aprons
Respiratory protection :	No special measures required.	
Environmental exposure contro	ols	
General advice :	Do not flush into surface water or sanitary sew If the product contaminates rivers and lakes or respective authorities.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	Appearance	:	paste
	Colour	:	various
	Odour	:	pungent
	Odour Threshold	:	No data available
	рН	:	No data available
	Melting point/range / Freezing point	:	No data available
	Boiling point/boiling range	:	No data available
	Flash point	:	> 100 °C
	Evaporation rate	:	No data available
	Flammability (solid, gas)	:	No data available
	Upper explosion limit / Upper flammability limit	:	No data available
	Lower explosion limit / Lower flammability limit	:	No data available
	Vapour pressure	:	0,01 hPa
	Relative vapour density	:	No data available
	Density	:	1,3 g/cm3
1	Intry 10000006112		

Revision Date 07.09.2019



Solubility(ies) Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	•	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Explosive properties	:	No data available
Oxidizing properties	:	No data available

Version 3.0

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

Materials to avoid	:	No data available
--------------------	---	-------------------

10.6 Hazardous decomposition products

Hazardous decomposition : 2-butanone oxime products



Revision Date 07.09.2019

Version 3.0

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics:			
Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg	
Acute dermal toxicity	:	LD50 Dermal (Rabbit): 3.160 mg/kg	
2-butanone oxime:			
Acute oral toxicity	:	LD50 Oral (Rat): 3.680 mg/kg	
N-(3-(trimethoxysilyl)propyl)e	th	ylenediamine:	
Acute oral toxicity	:	LD50 Oral (Rat): ca. 2.400 mg/kg	
Acute inhalation toxicity	:	LC50: 1,49 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity	:	LD50 Dermal (Rat): > 2.000 mg/kg	
Skin corrosion/irritation			
Not classified based on available	le	information.	
Components:			
Hydrocarbons, C14-C18, n-all	ka	nes, isoalkanes, cyclics, <2% aromatics:	
Assessment	:	Repeated exposure may cause skin dryness or cracking.	
Serious eye damage/eye irritation Causes serious eye irritation. Respiratory or skin sensitisation			
Skin sensitisation			
May cause an allergic skin reaction.			
Respiratory sensitisation Not classified based on available	le	information.	
Germ cell mutagenicity Not classified based on available	le	information.	
Carcinogenicity			

Suspected of causing cancer.

Print Date 02.01.2020

Revision Date 07.09.2019

Version 3.0

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental
---------	---



Revision Date 07.09.2019		Version 3.0	Print Date 02.01.2
		protection and waste disposal legislation and local authority requirements. Avoid dispersal of spilled material and runoff soil, waterways, drains and sewers.	, ,
Contaminated packaging	:	15 01 10* packaging containing residues of o by dangerous substances	or contaminated

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors REACH - Candidate List of Substances of Very High : None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation : Not applicable (Annex XIV) Regulation (EC) No 1005/2009 on substances that de-: Not applicable plete the ozone layer Regulation (EC) No 850/2004 on persistent organic pol-: Not applicable lutants Regulation (EC) No 649/2012 of the European Parlia-: Not applicable ment and the Council concerning the export and import 10 / 12



Revision Date 07.09.2019 Version 3.0 of dangerous chemicals REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances, preparations and articles (Annex XVII) **REACH** Information: All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: < 0,01 % no VOC duties Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,99 %, 12,87 g/l VOC content excluding water

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H304 H312 H317 H318 H319 H332 H351 H373	 May be fatal if swallowed and enters airways. Harmful in contact with skin. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Harmful if inhaled. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. 	
Full text of other abbreviatio Acute Tox. Asp. Tox. Carc. Eye Dam. Eye Irrit.	•	



Revision Date 07.09.2019		Version 3.0	Print Date 02.0
Skin Sens.	:	Skin sensitisation	
STOT RE	÷	Specific target organ toxicity - repeated exposu	ire
ADR	:	European Agreement concerning the Internation	
		Dangerous Goods by Road	Ū
CAS	:	Chemical Abstracts Service	
DNEL	:	Derived no-effect level	
EC50	:	Half maximal effective concentration	
GHS	:	Globally Harmonized System	
IATA	:	International Air Transport Association	
IMDG	:	International Maritime Code for Dangerous Go	
LD50	:	Median lethal dosis (the amount of a material,	given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)	
LC50	:	Median lethal concentration (concentrations of	
		air that kills 50% of the test animals during the	observation
		period)	
MARPOL	:	International Convention for the Prevention of I	
		Ships, 1973 as modified by the Protocol of 197	8
OEL	:	Occupational Exposure Limit	
PBT	÷	Persistent, bioaccumulative and toxic	
PNEC	÷	Predicted no effect concentration	- Dauliana aut
REACH	÷	Regulation (EC) No 1907/2006 of the European	
		and of the Council of 18 December 2006 conce	
		istration, Evaluation, Authorisation and Restrict	
SVHC		cals (REACH), establishing a European Chemi	cals Agency
vPvB	•	Substances of Very High Concern Very persistent and very bioaccumulative	
VEVD	•	very persistent and very bloaccumulative	
Further information			
Other information	:	·····	enter has
		changed since 1st July 2019	
Classification of the mixtur	e:	Classification proce	dure:
Eye Irrit. 2	H3	19 Calculation method	
Skin Sens. 1	H3	17 Calculation method	
Carc. 2	H3	51 Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PT / EN