

#### **BUILDING TRUST**

## FEBMIX ADMIX ORIGINAL

## DECLARATION OF PERFORMANCE

# No. FBMIX/2-CPR/2018

1	UNIQUE IDENTIFICATION
	CODE OF THE PRODUCT-
	TYPE:

FBMIX5, FBMIX25, FBMIX205

2 INTENDED USE/S

Air entraining / plasticizing admixture for mortar

3 MANUFACTURER:

Everbuild Building Products LTD
Site 41, Knowsthorpe Way,
Cross Green Industrial Estate,
LS9 0SW

4 AUTHORISED REPRESENTATIVE:

Not Applicable

5 SYSTEM/S OF AVCP:

System 2+

6a HARMONISED STANDARD:

EN934-3:2009 +A1:2012

Notified body/ies:

0086

FBMIX/2-CPR/2018 2018/07, ver. 02 0086

### **DECLARED PERFORMANCE/S**

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Chloride ion content	<0.1% w/w		
Alkali Content	<0.5% w/w		The second second second second
Compressive Strength	≥70% of control		
Entrained air	T2(1) Total air content A1 after standard mixing A1 = (17±3)%v/v		
	T2(2) Total air content after 1 hour standing A1 ≥ - 3% v/v		EN934-3:2009
	T2(3) Total air content after extended mixing ≤A1 + 5% v/v and ≥A1 - 5% v/v		
Dangerous Substances	None (see MSDS)		4 4.4.5.00

#### 8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR -SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Craig Evans Function: R&D Manager At Leeds on 30 July 2018

Name: Andrew Scanlon Function: R&D Chemist - Team Leader At Leeds on 30 July 2018

a. Som

End of information as required by Regulation (EU) No 305/2011



Everbuild Building Products LTD, Leed	ds. UK	
---------------------------------------	--------	--

DoP No. PMP/2-CPR/2018

EN934-3:2009 +A1:2012

Notified Body 0086

#### Air entraining / plasticizing admixture for mortar

Dangerous Substances	None (see MSDS)		
5 (1982 Margh) - Albana and Albana market and a state of the second and the secon	T2(3) Total air content after extended mixing ≤A1 + 5% v/v and ≥A1 – 5% v/v		
	T2(2) Total air content after 1 hour standing A1 ≥ - 3% v/v		
Entrained air	T2(1) Total air content A1 after standard mixing A1 = (17±3)%v/v		
Compressive Strength	≥70% of control		
Alkali Content	<0.5% w/w		
Chloride ion content	<0.1% w/w		

For DoP see www.everbuild.co.uk

### **ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)**

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

#### **LEGAL NOTE**

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

**Declaration of Performance** 

FBMIX/2-CPR/2018 2018/07, ver. 02 0086

