

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Version 0.0

1.1 Product identifier

Trade name : Sika AnchorFix®-1 (B)

1.2 Relevant identified uses of the substance or mixture and uses advised against

At present there is no complete information available on identified uses. When the data becomes available, it will be integrated into the safety data sheet.

Product use

: Adhesive.

1.3 Details of the supplier of the safety data sheet

Company	:	Everbuild Building products LTD Site 41, Knowsthorpe Way Cross Green Industrial Estate Leeds LS9 OSW UK
Telephone	:	0113 240 3456
E-mail address	:	sds@everbuild.co.uk

1.4 Emergency telephone number

Emergency telephone num- : 0044 113 240 3456 (office hours only) ber

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Type of product : Mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 Skin sensitisation, Category 1 Acute aquatic toxicity, Category 1 Chronic aquatic toxicity, Category 3	H319: Causes serious eye irritation.H317: May cause an allergic skin reaction.H400: Very toxic to aquatic life.H412: Harmful to aquatic life with long lasting effects.
Classification (67/548/EEC, 1999/45/EC)	
Oxidising	R 7: May cause fire.
Sensitising	R43: May cause sensitisation by skin contact.
Dangerous for the environment	R52/53: Harmful to aquatic organisms, may cause



long-term adverse effects in the aquatic environment.

Version 0.0

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)			
Hazard pictograms :			
Signal word :	Warning	•	
Hazard statements :	H317 H319 H410	May cause an allergic skin reaction. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.	
Precautionary statements :	Prevention: P261 P273 P280	Avoid breathing dust/ fume/ gas/ mist/ va- pours/ spray. Avoid release to the environment. Wear protective gloves/ eye protection/ face protection.	
	Response: P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.	
	P337 + P313	If eye irritation persists: Get medical advice/ attention.	
	P362 + P364	Take off contaminated clothing and wash it before reuse.	

Hazardous components which must be listed on the label:

• 202-327-6 dibenzoyl peroxide

2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical Name	Classification	Classification	Concentration
CAS-No.	(67/548/EEC)	(REGULATION	[%]
EC-No.		(EC) No	
Registration number		1272/2008)	
dibenzoyl peroxide	E; R 3	Org. Perox.B; H241	>= 10 - < 20
94-36-0	O; R 7	Eye Irrit.2; H319	
202-327-6	Xi; R36	Skin Sens.1; H317	
01-2119511472-50-XXXX	R43	Aquatic Acute1;	



Revision Date 23.04.2015

Version 0.0

Print Date 23.04.2015

		H400	
Benzoic acid isononylester 670241-72-2 447-010-5 01-0000018876-55-XXXX	N; R51/53	Aquatic Chronic2; H411	>= 5 - < 10
Substances with a workplace exposure I	imit :		
glycerol 56-81-5 200-289-5 01-2119471987-18-XXXX			>= 25 - < 50

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms a	nd effects, both acute and delayed
Symptoms	: Allergic reactions Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms.
Risks	: irritant effects sensitising effects
	May cause an allergic skin reaction. Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed



Treatment

: Treat symptomatically.

Version 0.0

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
5.2 Special hazards arising from	the substance or mixture
Specific hazards during fire- fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	: No hazardous combustion products are known
5.3 Advice for firefighters	
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contam- inated fire extinguishing water must be disposed of in accord- ance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment. Deny access to unprotected persons.
	, , ,

6.2 Environmental precautions

Environmental precautions	: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform
	respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel,
	acid binder, universal binder, sawdust).
	Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
Conditions for safe storage, in	nc	luding any incompatibilities
Requirements for storage	:	Keep container tightly closed in a dry and well-ventilated

Version 0.0

7.2

Requirements for storage areas and containers	: Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Other data	: No decomposition if stored and applied as directed.
7.3 Specific end use(s)	

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Components	CAS-No.	Value	Control parame- ters *	Basis *
glycerol	56-81-5	TWA	10 mg/m3	GB EH40
dibenzoyl peroxide	94-36-0	TWA	5 mg/m3	GB EH40

8.2 Exposure controls

Personal protective equipment

Eye	protection
-----	------------

: Safety glasses with side-shields Eye wash bottle with pure water



Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (0,4 mm), Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection	:	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Version 0.0

Environmental exposure controls

General advice	: Do not flush into surface water or sanitary sewer system.
	If the product contaminates rivers and lakes or drains inform
	respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

~				0/4
	Flash point	:	Note: Not applicable	
	Odour Threshold	:	No data available	
	Odour	:	slight	
	Colour	:	various	
	Appearance	:	paste	

Revision Date 23.04.2015



Version 0.0

Ignition temperature	:	Not applicable
Lower explosion limit (Vol%)	:	No data available
Upper explosion limit (Vol%)	:	No data available
Flammability (solid, gas)	:	No data available
Oxidizing properties	:	No data available
Auto-ignition temperature	:	No data available
рН	:	No data available
Melting point/range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Vapour pressure	:	No data available
Density	:	ca.1,55 g/cm3 at 20 °C
Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	> 20,5 mm2/s at 40 °C
Relative vapour density	:	No data available
Evaporation rate	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid



Revision Date 23.04.2015 Conditions to avoid Version 0.0

10.5 Incompatible materials

Materials to avoid

: No data available

: No data available

10.6 Hazardous decomposition products

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

<u>Components:</u> dibenzoyl peroxide:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 24,3 mg/l Exposure time: 4 h

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation: May cause an allergic skin reaction. Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity



: 10
dability
ntial
vB assessment
 This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
ſ

Version 0.0

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

ADR		
14.1 UN number	:	3082



14.2 Description of the goods 14.3 Class 14.4 Packing group Classification Code Labels Tunnel restriction code 14.5 Environmentally hazard- ous	 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dibenzoyl peroxide, Benzoic acid isononylester) 9 III M6 9 (E) yes
IATA 14.1 UN number 14.2 Description of the goods 14.3 Class 14.4 Packing group Labels 14.5 Environmentally hazard- ous	 3082 Environmentally hazardous substance, liquid, n.o.s. (dibenzoyl peroxide, Benzoic acid isononylester) 9 III 9 yes
IMDG 14.1 UN number 14.2 Description of the goods 14.3 Class 14.4 Packing group Labels EmS Number 1 EmS Number 2 14.5 Marine pollutant	 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dibenzoyl peroxide, Benzoic acid isononylester) 9 III 9 F-A S-F yes

Version 0.0

14.6 Special precautions for user No data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to EC Directives (1999/45/EC)

Hazard pictograms

×

Irritant

:

Oxidising



		Version 0.0 Print Date	e 23.04
R-phrase(s)	: R 7 R43 R52/53	May cause fire. May cause sensitisation by skin contact. Harmful to aquatic organisms, may caus long-term adverse effects in the aquatic environment.	
S-phrase(s)	: S 3/7	Keep container tightly closed in a cool place.	
	S36/37/39	Wear suitable protective clothing, gloves and eye/face protection.	
Hazardous components wh • 202-327-6 dib	ich must be listed on enzoyl peroxide	he label:	
Prohibition/Restriction REACH - Restrictions on th the market and use of certa preparations and articles (A	in dangerous substar		
REACH - Candidate List of Concern for Authorisation (A		ligh : None of the components are list (=> 0.1 %).	ed
REACH - List of substances (Annex XIV)	s subject to authorisat	ion : Not applicable	
	All substances - preregistered - preregistered - excluded fror	ion : Not applicable contained in our Products are l or registered by our upstream suppliers, and l or registered by us, and/or n the regulation, and/or m the registration.	//or
(Annex XIV)	All substances - preregistered - preregistered - excluded fror	contained in our Products are l or registered by our upstream suppliers, and l or registered by us, and/or n the regulation, and/or m the registration.	l/or

Health, safety and environ- mental regulation/legislation	:	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002
specific for the substance or mixture:		Control of Substances Hazardous to Health Regulations 2002 The Management of Health and Safety at Work Regulations 1999
		Health and Safety at Work Act 1974 Environmental Protection Act 1990 & Subsidiary Regulations

15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.



SECTION 16: Other information

Full text of R-Phrases	
R 3	Extreme risk of explosion by shock, friction, fire or other sources of igni-
	tion.
R 7	May cause fire.
R36	Irritating to eyes.
R43	May cause sensitisation by skin contact.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Version 0.0

Full text of H-Statements

H241	Heating may cause a fire or explosion.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
Eye Irrit.	Eye irritation
Org. Perox.	Organic peroxides
Skin Sens.	Skin sensitisation

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any any use and processing.

Changes as compared to previous version !